DIRECTIONS FOR USE

- . Before use clean the sprayer to remove any oil or oil residues.
- Use a compression sprayer, fitted with a sieve no finer than 50 mesh.
- Half fill the sprayer with clean water and then, using the scoop provided, add Cytrol Forte WP, according to the table below. (One level scoop is equal to 10g product).
- . Add the remainder of the water, close the sprayer securely, shake to disperse the contents and pressurise according to the sprayer manufacturer's instructions. Shake the sprayer again if spraying is interrupted for more than 15-30 minutes.
- One litre of ready-for-use(RFU) spray will treat 25 square metres.
- Make spray suspension as required. Do not store RFU spray overnight.
- Do not use water-based sprays around electrical appliances, light fittings or switches.

Target Pest	Scoops Required	Water	Comments
CRAWLING INSECTS Routine Treatment	1 (10g)	5	Maintenance or spot' treatment
Heavy Infestation	2 (20g)	5	Attack or `clean- out' treatment
FLYING INSECTS Routine Treatment	1 (10g)	5	

PRECAUTIONS

WASH SPLASHES from skin or eyes immediately. WASH HANDS AND EXPOSED SKIN before meals and after use. KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place. DO NOT HANDLE TREATED FABRICS UNTIL DRY AND AIR THOROUGHLY . BEFORE USE.

DIRECTIONS FOR USE

- . Before use clean the sprayer to remove any oil or oil residues.
- Use a compression sprayer, fitted with a sieve no finer than 50 mesh.
- Half fill the sprayer with clean water and then, using the scoop provided, add Cytrol Forte WP, according to the table below. (One level scoop is equal to 10g product).
- Add the remainder of the water, close the sprayer securely, shake to disperse the contents and pressurise according to the sprayer manufacturer's instructions. Shake the sprayer again if spraying is interrupted for more than 15-30 minutes.
- One litre of ready-for-use(RFU) spray will treat 25 square metres.
- Make spray suspension as required. Do not store RFU spray overnight.
- Do not use water-based sprays around electrical appliances, light

Target Pest	Scoops Required	Water	Comments
CRAWLING INSECTS Routine Treatment Heavy Infestation	1 (10g) 2 (20g)	5 5	Maintenance or `spot' treatment Attack or `clean- out' treatment
FLYING INSECTS Routine Treatment	1 (10g)	5	

PRECAUTIONS

WASH SPLASHES from skin or eyes immediately. WASH HANDS AND EXPOSED SKIN before meals and after use. KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place. DO NOT HANDLE TREATED FABRICS UNTIL DRY AND AIR THOROUGHLY



A residual insecticide

For professional use in and around domestic and industrial establishments, hospitals (not in occupied wards), military areas, restaurants and eateries (not for use on food preparation surfaces), stores, storage areas, slaughter-houses, refuse tips, dustbins and around manure heaps. For use on soft furnishings, and hard horizontal and vertical surfaces where insects may rest, with the exception of food preparation surfaces. For use against cockroaches, fleas, ants, bed-bugs, silverfish, woodlice, earwigs, millepedes, centipedes, houseflies, cluster-flies

This product is approved under The Control of Pesticides Regulations 1986 (as amended) for

mosquitoes and wasps.

PelGar International Ltd..

Unit 13. Newman Lane, Alton GU34 2QR, UK Tel: - +44 (0)1420 80744

Cytrol ® is a registered trademark of PelGar International Ltd. UK.

COVER FISH TANKS AND BOWLS before application. DO NOT CONTAMINATE watercourses or ground.
HAZARDOUS TO BEES. ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981 BEFORE TREATING ANY STRUCTURES USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

READ ALL PRECAUTIONS BEFORE USE. HSE No. 6424

STATUTORY CONDITIONS RELATING TO USE FOR PROFESSIONAL OPERATORS The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product

at work. Maximum Dose, 20 gm per 5 litres water per 125 square metres sprayable surface. Engineering control of operator exposure must be used where reasonably practicable in addition to the following items on personal protective equipment. WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS) AND SYNTHETIC

BUBBER/PVC GLOVES when using. AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER

REGULARLY, DO NOT BREATHE THE SPRAY MIST. Otherwise wear respiratory protective equipment and ever

protection (see HSE Guidance Booklet HS (G) 53: "Respiratory Protective Equipment - a practical guide fo users"). However, Engineering controls may replace personal protective equipment if a COSHH assessmen shows that they provide an equal or higher standard of protection. DO NOT CONTAMINATE FOODSTUFFS

EATING UTENSILS OR FOOD CONTACT SURFACES. COVER WATER STORAGE TANKS before application

THIS MATERIAL AND ITS CONTAINER must be disposed of in a safe way. UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM THE TREATED AREAS UNTIL SURFACES ARE DRY. DO NOT APPLY

DIRECTLY TO ANIMALS. EXTREMELY DANGEROUS TO FISH AND OTHER AQUATIC LIFE. REMOVE OF

APPLY CYTROL FORTE WP AS A COARSE LOW PRESSURE SPRAY AS FOLLOWS:-

Cockroaches, Silverfish and Firebrats :- Apply spray to areas where these insects are found, such as skirting boards, storage areas, closets around water pipes, door frames, window frames, around and behind refrigerators, cabinets sinks, stoves, to the underside of drawers and shelves, to cracks and crevices behind wall-mounted units or fixtures. Ants :- Spray 'trails' and around doors, windows or where accumulations of ants are seen

Fleas :- Prior to treatment, thoroughly vacuum the area and seal the contents of the vacuum bag before disposal in the refuse. Apply spray to carpets and soft furnishings, including the underside of cushions and to areas regularly occupied by domestic animals

Woodlice, Earwigs, Millepedes & Centipedes :- Spray window and door frames and damp areas in or around `out-

Houseflies, Clusterflies and Mosquitoes: - Apply spray to walls, ceilings and areas where pests rest. Do not treat exposed food or food preparation areas.

Wasps: - Spray the nest entrance and the surfaces upon which wasps alight



DANGEROUS ENVIRONMENT



HARMFUL

HARMFUL IF SWALLOWED. IRRITATING TO RESPIRATORY SYSTEM AND SKIN. MAY CAUSE SENSITISATION BY SKIN CONTACT VERY TOXIC TO ACHIATIC ORGANISMS MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT. TO AVOID RISKS TO MAN AND THE ENVIRONMENT COMPLY WITH THE INSTRUCTIONS FOR USE. AVOID CONTACT WITH THE SKIN. WEAR SUITABLE GLOVES. IN CASE OF CONTACT WITH THE EYES, RINSE IMMEDIATELY WITH PLENTY OF WATER AND SEEK MEDICAL ADVICE DO NOT EMPTY INTO DRAINS. THIS MATERIAL AND ITS CONTAINER MUST BE DISPOSED OF AS HAZARDOUS WASTE. AVOID BELEASE TO THE ENVIRONMENT, BEEFR TO SPECIAL INSTRUCTIONS OR SAFETY DATA SHEETS.

B/No: 00APR32061 DOM: 04/2013 DOE: 04/2015

Net contents:- 250a



Contains 400 g/kg of the synthetic pyrethroid cypermethrin, as a wettable powder

A residual insecticide

For professional use in and around domestic and industrial establishments, hospitals (not in occupied wards), military areas, restaurants and eateries (not for use on food preparation surfaces), stores, storage areas, slaughter-houses, refuse tips, dustbins and around manure heaps. For use on soft furnishings, and hard horizontal and vertical surfaces where insects may rest, with the exception of food preparation surfaces. For use against cockroaches, fleas, ants, bed-bugs, silverfish, woodlice, earwigs, millepedes, centipedes, houseflies, cluster-flies,

mosquitoes and wasps.

This product is approved under The Control of Pesticides Regulations 1986 (as amended) for use as directed.

PelGar International Ltd.,

Unit 13. Newman Lane, Alton GU34 2QR, UK Tel: - +44 (0)1420 80744

STATUTORY CONDITIONS RELATING TO USE FOR PROFESSIONAL OPERATORS.

The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work. Maximum Dose, 20 cm per 5 litres, water per 125 square metres sprayable surface. Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment. WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS) AND SYNTHETIC RUBBER/PVC GLOVES when using. AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDEF REGULARLY. DO NOT BREATHE THE SPRAY MIST. Otherwise wear respiratory protective equipment and eye protection (see HSE Guidance Booklet HS (G) 53: "Respiratory Protective Equipment - a practical guide for users"). However, Engineering controls may replace personal protective equipment if a COSHH assessmen shows that they provide an equal or higher standard of protection. DO NOT CONTAMINATE FOODSTUFFS EATING UTENSILS OR FOOD CONTACT SURFACES. COVER WATER STORAGE TANKS before application THIS MATERIAL AND ITS CONTAINER must be disposed of in a safe way. UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM THE TREATED AREAS UNTIL SURFACES ARE DRY, DO NOT APPLY DIRECTLY TO ANIMALS. EXTREMELY DANGEROUS TO FISH AND OTHER AQUATIC LIFE. REMOVE OF COVER FISH TANKS AND BOWLS before application. DO NOT CONTAMINATE watercourses or groun

HAZARDOUS TO BEES. ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981 BEFORE TREATING ANY STRUCTURES USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

APPLY CYTROL FORTE WP AS A COARSE LOW PRESSURE SPRAY AS FOLLOWS:-

Cockroaches, Silverfish and Firebrats :- Apply spray to areas where these insects are found, such as skirting boards, storage areas, closets around water pipes, door frames, window frames, around and behind refrigerators, cabinets sinks, stoves, to the underside of drawers and shelves, to cracks and crevices behind wall-mounted units or fixtures. :- Spray 'trails' and around doors, windows or where accumulations of ants are seen

Fleas :- Prior to treatment, thoroughly vacuum the area and seal the contents of the vacuum bag before disposal in the refuse. Apply spray to carpets and soft furnishings, including the underside of cushions and to areas regularly occupied by domestic animals

Woodlice, Earwigs, Millepedes & Centipedes :- Spray window and door frames and damp areas in or around 'out-

Houseflies, Clusterflies and Mosquitoes :- Apply spray to walls, ceilings and areas where pests rest. Do not treat exposed food or food preparation areas



FOR THE ENVIRONMENT



HARMELII IE SWALLOWED IRRITATING TO RESPIRATOR SYSTEM AND SKIN. MAY CAUSE SENSITISATION BY SKIN CONTACT. VERY TOXIC TO AQUATIC ORGANISMS, MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT TO AVOID RISKS TO MAN AND THE ENVIRONMENT COMPLY WITH THE INSTRUCTIONS FOR USE. AVOID CONTACT WITH THE SKIN. WEAR SUITABLE GLOVES. IN CASE OF CONTACT WITH THE EYES, RINSE IMMEDIATELY WITH PLENTY OF WATER AND SEEK MEDICAL ADVICE. DO NOT EMPTY INTO DRAINS. THIS MATERIAL AND ITS CONTAINER MUST BE DISPOSED OF AS HAZARDOUS WASTE. AVOID RELEASE TO THE ENVIRONMENT. REFER TO SPECIAL INSTRUCTIONS OR SAFETY DATA SHEETS.

B/No: 00APR32061 DOM: 04/2013 DOE: 04/2015