PRECAUTION: Wear gloves, boots and respirator, wash hands and skin after use of the insectide.

Dosage: Indoor Residual Spray

Dilute 40-60ml of RUBI 10 SC in 8 litres of water to a cover 200 square metre area for adult mosquitoes.

RUBI 10 SC should be applied thoroughly in all surfaces covering dark corners, cracks and crevices of the houses where mosquitoes rest. It should be sprayed using any WHO approved compression sprayers.

Dosage: Bed-net impreparation & Re-impreparation Step 1: Dilute from of RUB4 10 Sc in 2 times of water to cover a net which is 15 square metre in a wide palastic basin. Step II: During impreparation normal precautions should be followed. Dip the net in the solution until it is soaked. The solution should be applied thoroughly and evenly to the net by repeated rubbing and squeezing.

Step III: Do not hang impregnated net for drying to avoid dripping. Impregnated nets should be spread on a plastic sheet for initial drying in order to avoid dripping and then to hung shade for further drying.

Use of treated bed nets: RUBI 10 SC treated bed nets after completely drying can be placed over the bed and used normally. Repeated washing of bed net removes the insecticide. Therefore avoid washing. If washing, treat again with RUBI 10 SC.

Manufactured By:

Tagres

Jhaver Centre Rajah Annamalai Building IV Floor 72 Marshalls Road, Egmore Chennai 600 0008 India

## **RUBI 100 SC**

## ALPHACYPERMETHRIN 10% SC Soluble Concentrate

## Active Ingredients W/W%

Alphacypermethrin.....10.00%
Other Ingredients ...... 90.00%

, Total......100.00%



11a Ackbar Rd Charlieville Tel/Fax: 223-9438 Website: www.provartt.com

Net Contents: 125ml 250ml

Reg #: 1309 Batch #: AASC

Manufacture Date: Apr 2015 Expiry Date: Mar 2017

READ INSTRUCTIONS BEFORE USE KEEP OUT OF REACH OF CHILDREN

STORAGE: DO NOT STORE OR TRANSPORT NEXT TO FOOD OR ANIMAL FEED. Store in cool and dry place inaccessible to children and pets.

PRECAUTION: AVOID CONTACT BY MOUTH, PREVENT ACCESS TO INSECTICIDE by children, birds and non target animals, particulary dogs, cats, pigs and poultry. This insecticide is highly toxic to burs, fish and wildlife.

**DISPOSAL:** Dispose of empty packages safely. Bury empty packages. Never dispose of unused product down any indoor or outdoor drain.

COMMON SYMPTOMS OF POISONING: Nervousness, anxiety, tremors, convulsions and allergic manifestation.

IF YOU FEEL UNWELL: If ingested, induce vomitting by giving gastric lavage. In case of skin contact, wash the skin with soap and plenty of water. In case of eye splash, flush eye with water for 15 minutes and refer to doctor.

ANTIDOTE: In case of severe poisoning administer diazepam and in case of hyper cholinergy, administer low dose of atropine.

CAUTION - DO NOT REUSE THIS PACKAGE.

## Chemical Identity:

A racemix mixture of (S)-a-cyano-3-phenoxybenzyl-(1R,3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate and (R)-a-cyano-3-phenoxybenzyl-(15,3R)-3-(2,2-dichlorovinyl)-2-2-dimethyl cyclopropane carboxylate



